
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



SRF372

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service



(Title 7, Chapter I, Part 201, of the Code of Federal Regulations)

AMENDMENT TO THE RULES AND REGULATIONS UNDER THE FEDERAL SEED ACT

By virtue of authority under section 402 of the Federal Seed Act (53 Stat. 1275) and after public hearing, held on May 12, 1941, notice of which was published in the Federal Register of April 10, 1941, the following amendments to the rules and regulations for the enforcement of the Federal Seed Act are hereby promulgated. These amendments shall become effective on and after the expiration of thirty days after date of publication herein except as to sections 201.103 and 201.104 which shall become effective on and after the expiration of ninety days after date of publication herein.

- 201.2 (h) (2). Insert the following. "sunflower (cultivated) (Helianthus annus), alyce clover (Alysicarpus vaginalis), cluster clover (Trifolium gomeratum), Ladino clover (Trifolium repens), hemp (Cannabis sativa), white mustard (Brassica alba), black mustard (Brassica nigra), turnip rape (Brassica rapa var.), annual rape (Brassica napus var.), bird rape (Brassica campestris), Adzuka bean (Phaseolus angularis)."
- 201.2 (i). Insert. "Pak-choi (Brassica chinensis), Pe-tsai or Chinese cabbage (Brassica pekinensis), spinach mustard (Brassica rapa perviridis), vegetable mustard (Brassia spp.)."
- 201.30. Add to the second sentence the words "and the month and year in which the germination test was completed."
- 201.31. Insert after the word "okra" the number "1" which will refer to the subnote "including hard seed, " and add "Pak-choi 75 percent, Pe-tsai or Chinese cabbage 75 percent, spinach mustard 75 percent, vegetable mustard 75 percent.

201.58. In table 2 make the following indicated additions and corrections:

					· ·
Name of Seed	:strata	:Tem- :pera- :ture	:First :Count	Final Count	: Remarks
	• "	: ure	•	<u>•</u>	*
Change line begin- ning with "Bahia grass" to read as follows:			:		
"Bahia grass Paspalum notatum	P :	30–35 :	3		Light at 30°C. Remove all glumes with aid of sharp scalps Fresh seed lightly
Insert after 'Barley":	* ***	: :			:scratch surface of :caryopsis and use :potassium nitrate. :
Bean, Adzuki Phaseolus angularis	R,S	20-30	4	10"	
Under "Bluegrass", add to line begin- ning with "Kentucky" the following:				: ,	:"Fresh seed 151-30° daylight."
Insert under "Clovers" after "Alsike";		:		•	
"AlyceAlysicarpus vaginalis	B	: : 30 :	4	21"	
Insert under "Clovers" after "Bur":	:	*	•	:	:
"ClusterTrifolium glomeratum	B	20	4	10"	:
Insert under "Clovers" after "Crimson":	:		·	: :	: · · · · · · · · · · · · · · · · · · ·
"Ladino-Trifolium repens	: B,S	: 20	; 3	: 10"	:

insert after "Guinsa Frass": HempCannabis R 20-30 3 7" fiter line beginning rith "Korean" -insert the following: Lupine-Lupinus B.T 20 3 7" gaiba Delete line begin- ding with "Rape- risassica napus" and nasert: Rape: AnnualBrassica B 20-30 3 7 ricassica napus var. dirdBrassica B 20-30 3 7 reps var. GinterBressica B 20-30 3 7 InterBressica B 20-30 3 7 Inter-Bressica B 20-30 3 7 InterBressica B 2		:Sub-	:Tem-	First	•	:
insert after "Guinea brass": Hemp-Cannabis	Name of Seed	:strața	:pera-	: Count	: Count	: Remarks
Prass": Hemp-Cannabis R 20-30 3 7" Setive fire line beginning with "Korean"—insert the following: Lupine—Lupinus B.T 20 3 7" Lupine—Lupinus alba Delete line degin—ing with "Rape—irassica napus" and napus var. Rape: Annual—Brassica B 20-30 3 7 Idrd—Brassica P 20-30 3 10 Light, fresh see potassium nitra: Lurip—Brassica B 20-30 3 7 Lurip—Brassica B 20-30 3 7		1	: ture	Amengines (destination) of t	erencial person	•
Prass": Hemp-Cannabis R 20-30 3 7" Setive fire line beginning with "Korean"—insert the following: Lupine—Lupinus B.T 20 3 7" Lupine—Lupinus alba Delete line degin—ing with "Rape—irassica napus" and napus var. Rape: Annual—Brassica B 20-30 3 7 Idrd—Brassica P 20-30 3 10 Light, fresh see potassium nitra: Lurip—Brassica B 20-30 3 7 Lurip—Brassica B 20-30 3 7	,	:	:	1	*	• Higher
Hemp-Cannabis setive fter line beginning fith "Koreen" -insert the following: Lupine-Lupinus B.T. 20. 3 7" Calba Selete line deginning with "Rape - insessica napus" and nsert: Rape: AnnualBrassica P. 20-30 3 7 Inder-Brassica B. 20-30 3 7 Inter-Brassica B. 20-30 3 7 Inter-Graps Inter-Brassica B. 20-30 3 7 Inter-Brassica B. 20-30 3	Insert after "Guinea :	: :	•	:	:	The second secon
Sative Ifter line beginning with "Korean"—insert whe following: Lupine—Lupinus Elupine—Lupinus Elupine—Lupinus Elupine—Lupinus Elupine—Lupinus Elupine—Insert with "Rape—insert anapus" and mapus var. Elird—Erassica Campestris Campestris Curnip—Brassica Fage var. Elinter—Brassica Rape: Annual Elight, fresh sere potassium nitrativation in the mapus Elird—Erassica Rape var. Elinter—Brassica Rape var. Elinter—Brassica Rape var. Elinter—Brassica Rape var. Elinter—Brassica Rape var. Eliter "Sudan Erass". Sunflower—Helianthus Eliter "Sudan Erass". Eliter "Gress" in the beginning with Water" change to read as follows: Water—Roriya nas— P 20-30 4 14 Light"	Frass":	•	•		•	
Sative Ifter line beginning with "Korean"—insert whe following: Lupine—Lupinus Elupine—Lupinus Elupine—Lupinus Elupine—Lupinus Elupine—Lupinus Elupine—Insert with "Rape—insert anapus" and mapus var. Elird—Erassica Campestris Campestris Curnip—Brassica Fage var. Elinter—Brassica Rape: Annual Elight, fresh sere potassium nitrativation in the mapus Elird—Erassica Rape var. Elinter—Brassica Rape var. Elinter—Brassica Rape var. Elinter—Brassica Rape var. Elinter—Brassica Rape var. Eliter "Sudan Erass". Sunflower—Helianthus Eliter "Sudan Erass". Eliter "Gress" in the beginning with Water" change to read as follows: Water—Roriya nas— P 20-30 4 14 Light"		: * :	•	:	:	Contract of the second
Sative After line beginning with "Korean"—insert whe following: Lupine—Lupinus B.T 20 3 7" Lupine—Lupinus B.T 20 3 7" Collete line degin—ing with "Rape—irassice napus" and neert. Rape: Annual—Brassica Campestris Annual—Brassica Campestris Campestris Campestris Campestris Campestris Campestris Campestris Campestris Campus Campus Campus Collight, fresh see potassium nitration in the heading "Vege ables and Herbs" Collivated Campus Collivated Colli	'HempCannabis :	: B	: 20-30	: 3	: 711	1 186.
After line beginning with "Korean"—insert whe following: Lupine—Lupinus B.T 20 3 7" albe Colete line degin—insert with "Rape—irassica napus" and nasert: Rape: Annual—Brassica			•	<i>t</i>	•	•
After line beginning with "Korean" — insert the following: Lupine—Lupinus B.T 20 3 7" Lupine—Lupinus B.T 20 3 7" Alba Celete line degin— ding with "Rape— drassica napus" and nsert: Rape: Annual—Brassica P 20-30 3 10 Light, fresh set potassium nitration in the heading "Vage ables and Herbs" Lupine—Helianthus T.B 20-30 3 7" Annual B. 20-30 3 7" Annual B. 20-30 3 7" Light, fresh set potassium nitration in the heading "Vage ables and Herbs" Lupine—Cress" in the heading "Vage ables and Herbs" Lelete the Words and Herbs" Lelete the Words and Herbs " Light fresh set potassium nitration in the heading "Vage ables and Herbs" Lupine—Lupinus T.B. 20-30 3 7" Annual Coultivated) In the heading "Vage ables and Herbs " Lupine—Cress" in the heading "Vage ables and Herbs " Lupine—Cress" in the heading "Vage ables and Herbs " Lupine—Cress" in the heading "Vage ables and Herbs " Lupine—Cress" in the heading "Vage ables and Herbs " Lupine—Cress" in the heading "Vage ables and Herbs " Lupine—Cress" in the heading "Vage ables and Herbs " Lupine—Cress" in the heading "Vage ables and Herbs " Lupine—Cress" in the heading "Vage ables and Herbs " Lupine—Cress" in the heading "Vage ables and Herbs " Lupine—Cress" in the heading "Vage ables and Herbs " Lupine—Cress" in the heading "Vage ables and Herbs " Lupine—Cress" in the heading "Vage ables and Herbs " Lupine—Cress" in the heading "Vage ables and Herbs " Lupine—Cress" in the heading "Vage ables and Herbs " Lupine—Cress" in the heading "Vage ables and Herbs " Lupine—Cress" in the heading "Vage ables and Herbs " Lupine—Cress" in the heading th			*	* * a		•
the following: Lupine—Lupinus B.T 20 3 7" alba 20 3 7" Celete line degin— Ingustin "Rape— Irassica napus" and nsert: Rape: Annual—Brassica B 20-30 3 7 Irangestris Iurnip—Brassica B 20-30 3 7 Iurnip—Brassica B 20-30 3 7 Inter—Brassica B 20-30 3 7" Inter—Brassica B 20-30 4 14 Light"	fter line heginning		•		•	
The following: Lupine—Lupinus	with "Korean"insert;	•	•		•	
Lupine—Lupinus alba Delete line tegin— ing with "Rape— irassica napus" and nsert: Rape: Annual—Brassica napus var Bird—Brassica potassium nitra: Delete line tegin— ing with "Rape— irassica napus" and nsert: Brape: Annual—Brassica P 20-30 3 10 Light, fresh sere potassium nitra: Durnip—Brassica B 20-30 3 7 Inter—Brassica B 20-30 5 7 Inter—Cressi "Inter—Brassica B 20-30 5 7 Inter—Brassica B 20-30 5	1 18°, 1.44	•	•		•	
Delete line degin- ling with "Rape lirassica napus" and nsert: Rape: AnnualBrassica	MIG TOTIONING!		•		•	•
Delete line degin- ling with "Rape lirassica napus" and nsert: Rape: AnnualBrassica	Tuning Tuning	. 70 00	20	77.	. 7711	
Delete line degin- ling with "Rape livassica napus" and nsert: Rape: AnnualBrassica	Company of the Compan	. B,T	20.	٠, ١	: "	
Ing with "Rape- irassica napus" and nsert: Rape: AnnualBrassica napus var. AnnualBrassica campestris AnnualBrassica campestris AnnualBrassica campestris Definite - Brassica rapa var. Annual - Brassica campestris Definite - Brassica napus The second sec	alba (•	•	•	•	•
Ing with "Rape- irassica napus" and nsert: Rape: AnnualBrassica napus var. AnnualBrassica campestris AnnualBrassica campestris AnnualBrassica campestris Definite - Brassica rapa var. Annual - Brassica campestris Definite - Brassica napus The second sec		;	•	,		:
rassica napus" and nsert: Rape: AnnualBrassica		:			:	:
Rape: AnnualBrassica napus var. BirdBrassica campestris Frapa var. Frapa var. FinterBrassica napus Insert after "Sudan grass". SunflowerHelianthus cultivated) In the heading "Vege nables and Herbs." Inder "Cress" in Inder "Cress	•=	•	1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	•	:	:
Rape: Annual - Brassica		•	: :	• =	• :	• • • • • • • • • • • • • • • • • • • •
Annual—Brassica napus var properties	insert:	•	: :	• 2 • • •	•	•
Annual—Brassica napus var properties		:	:	:	:	:
Annual—Brassica napus var properties	Rape:	•	:		• , :	**
napus var. SirdBrassica		: '3	: 20-30	: 3	. 7	
Campestris P 20-30 3 10 Light, fresh see potassium nitra Curnip-Brassica		· /		:		:
campestris durnip-Brassica rapa var. Winter-Brassica napus msert after "Sudan rass". Sunflower-Helianthus annuus (cultivated) in the heading "Vege sables and Herbs" telete the words and Herbs." Moder "Cress" in ine beginning with Water" change to read as follows: Water-Roripa nas- P 20-30 4 14 Light"				•	•	
campestris durnip-Brassica rapa var. Winter-Brassica napus msert after "Sudan rass". Sunflower-Helianthus annuus (cultivated) in the heading "Vege sables and Herbs" telete the words and Herbs." Moder "Cress" in ine beginning with Water" change to read as follows: Water-Roripa nas- P 20-30 4 14 Light"	BirdBrassica	· P	20-30	43	10	· Light fresh see
Turnip-Brassica 3 20-30 3 7 Tinter-Brassica B 20-30 3 7 Tinter-Brassica B 20-30 3 7 Insert after "Sudan grass". Sunflower-Helianthus T.B 20-30 3 7 (cultivated) In the heading "Vege grables and Herbs" delete the Words and Herbs." Inder "Cress" in ine beginning with Water" change to read as follows: WaterRoripa nas- P 20-30 4 14 Light"		¥.				
rapa var. Winter-Brassica napus Insert after "Sudan grass". Sunflower-Helianthus annuus (cultivated) In the heading "Vege tables and Herbs" telete the Words and Herbs." Under "Cress" in ine beginning with Water" change to read as follows: Water-Roripa nas- P 20-30 4 14 Light"	Composition	•	•	;		, poossourum mrores
rapa var. Winter-Brassica napus Insert after "Sudan grass". Sunflower-Helianthus annuus (cultivated) In the heading "Vege tables and Herbs" telete the Words and Herbs." Under "Cress" in ine beginning with Water" change to read as follows: Water-Roripa nas- P 20-30 4 14 Light"	Turnin Brossian	• •	20 30	. 73	. 7	•
Inter-Brassica napus nsert after "Sudan rass". Sunflower-Helianthus annuus (cultivated) In the heading "Vege ables and Herbs" lelete the Words and Herbs." Under "Cress" in ine beginning with Water-Roripa nas- P 20-30 4 14 Light"		• ~	: 20-00	. :	•	
napus insert after "Sudan grass". Sunflower-Helianthus T.B 20-30 3 7" annuus (cultivated) in the heading "Vege gables and Herbs" delete the Words and Herbs." Inder "Cress" in the heading with Water" change to great as follows: Water-Roripa nas- P 20-30 4 14 Light"	rapa var.	•	•			
napus insert after "Sudan grass". Sunflower-Helianthus T.B 20-30 3 7" annuus (cultivated) in the heading "Vege gables and Herbs" delete the Words and Herbs." Inder "Cress" in the heading with Water" change to great as follows: Water-Roripa nas- P 20-30 4 14 Light"	Winter Brossies	• `` `• : TD	20.30	* : z	· 2 ^{II}	
Insert after "Sudan grass". Sunflower-Helianthus T.B 20-30 3 7" annuus (cultivated) In the heading "Vege ables and Herbs" lelete the words and Herbs." Water "Cress" in in ine beginning with Water" change to read as follows: Water-Roripa nas-P 20-30 4 14 Light"	Tiller brassica		: 20-30			
SunflowerHelianthus T.B 20-30 3 7" annuus (cultivated) In the heading "Vege Rables and Herbs" Relete the Words and Herbs." Under "Cress" in ine beginning with Water" change to read as follows: WaterRoripa nas- P 20-30 4 14 Light"	napus	* *	•	•	*	
SunflowerHelianthus T.B 20-30 3 7" annuus (cultivated) In the heading "Vege Rables and Herbs" Relete the Words and Herbs." Under "Cress" in ine beginning with Water" change to read as follows: WaterRoripa nas- P 20-30 4 14 Light"	Towns of Chicago II Co. 1.	1 3	÷ 2	• ;	•	· ·
SunflowerHelianthus annuus (cultivated) in the heading "Vege cables and Herbs" lelete the words and Herbs." Inder "Cress" in ine beginning with Water" change to read as follows: WaterRoripa nas- P 20-30 4 14 Light"			: :	:	:	•
annuus (cultivated) In the heading "Vege Rables and Herbs" Relete the words and Herbs." Inder "Cress" in Ine beginning with Water" change to Read as follows: WaterRoripa nas- P 20-30 4 14 Light"	grass".	•	:		•	:
annuus (cultivated) In the heading "Vege Rables and Herbs" Relete the words and Herbs." Inder "Cress" in Ine beginning with Water" change to Read as follows: WaterRoripa nas- P 20-30 4 14 Light"		:	1	: _		:
(cultivated) In the heading "Vege ables and Herbs" Relete the words and Herbs." Under "Cress" in a seginning with a seginning with a sead as follows: WaterRoripa nas P 20-30 4 14 Light"		: T,B	: 20_30	: 3	: 7"	
In the heading "Vege Lables and Herbs" Lelete the words and Herbs." Under "Cress" in Line beginning with Water" change to read as follows: WaterRoripa nas- P 20-30 4 14 Light"		• • • • • •	•	•	•	•
In the heading "Vege Lables and Herbs." Lelete the Words and Herbs." Inder "Cress" in ine beginning with Water" change to read as follows: WaterRoripa nas- P 20-30 4 14 Light"	(cultivated)	:	:	:		* High
Tables and Herbs!" The lelete the words and Herbs." The leginning with Water change to read as follows: WaterRoripa nas- P 20-30 4 14 Light"		:	:	:	•	* .
lelete the words and Herbs." Inder "Cress" in ine beginning with Water" change to read as follows: WaterRoripa nas- P 20-30 4 14 Light"	In the heading "Vege	;	:	:	:	:
and Heros." Inder "Cress" in ine beginning with Water" change to read as follows: WaterRoripa nas- P 20-30 4 14 Light"		: ^	;	:	:	!
Under "Cress" in ine beginning with Water" change to read as follows: WaterRoripa nas- P 20-30 4 14 Light"	lelete the words		:	:	:	* * * * * * * * * * * * * * * * * * *
Under "Cress" in ine beginning with Water" change to read as follows: WaterRoripa nas- P 20-30 4 14 Light"	and Herbs."			:		•
ine beginning with Water" change to ead as follows: WaterRoripa nas- P 20-30 4 14 Light"		*	1	:	:	:
ine beginning with Water" change to ead as follows: WaterRoripa nas- P 20-30 4 14 Light"	Jnder "Cress" in		:	:	:	:
Water" change to cad as follows: WaterRoripa nas- P 20-30 4 14 Light"		10	:	:	:	•
WaterRoripa nas- P 20-30 4 14 Light"	Water" change to	•	•	•		•
WaterRoripa nas P 20-30 4 14 Light"		•	•	•	•	•
	July 20 TOTTOMS.	•	•	•	•	•
	Woton Danies nos	· D	. 20 70	• 4	• 34	· Timb+II
# 12 TO # 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	turtium aquaticum	1 - P	: 20-30	生	1.4	: TITKIIO

L Heller to thought	Sub	Tem=	First	:Final	
Name of Seed	strata,	pera-	: Count	Count	Remarks 10
		ture.	1	• •	
and and all the	The absence of the property of the second	the work half had been been	Section 1		
Delete two lines be-	: '		•	:	April 40 miles of the first
ginning with "Mus-	:			:	
tardIndia" and :	:	5		• (
insert:					And the second s
				•	
Mustard:	t -	· mo mo	' ,	7	Timbi franch good
Black-Brassica	: P	20_30	3	100	Light; fresh seed
nigra	•	*	.	* * * * * * * * * * * * * * * * * * *	potassium nitrate
India Depart			` :	•	and prechill at
India-Brassica :		: 204 3 0	3	7	: 10° C for 3 days.
<u>Juncea</u>	P	3-20030			Light; fresh seed potassium nitrate
:		:			and prechill at
Ψ			•	i	
				,	10 C for 3 days
SpinachBrassica	:	20_30	3	7	Lilland St. A. Williams (1941) to
rapa perviridis	• · · · · · ·	. 20-00		10	
	•		' ∳ - • - •	. • . •* . •*	
WhiteBrassica	. P	20-30	· 3	5	Light" works
hirta (alba):	• •	:			the state of the s
The state of the s	•	Stanton 13	•		a registration of the sale
Insert after "Onion"	• •	:	· •		
	: :	. :		; ;	to the second
"Pak-choiBrassica:	, B	20-30	3	711	
Chinensis	:	:		•	
The William of the addition and the second appropriate continues.	• 1				
Insert after "Pepper"	•	1	•	**	
	:	:	:	:	
Pe-tsai (Chinese:	:		:	:	
cabbage)Brassica:	. · B ·	20-30	3	: 711	A CONTRACTOR
pekinensis :	:	:		;	ger en setemble ●
:	:	<u>.</u>	:	:	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
:	:		:	: ;	
Change item under column	"Final C	ount" in	line bes	rinning w	ith "Lettuce"

Change item under column "Final Count" in line beginning with "Lettuce" from "5" to "7".

Change item under "Final Count" in line beginning with "Rutabaga" from "7" to "14".

201.101. Add to the enumerated kinds of seeds the following:
"paraley; pumpkin; pea; field, pea, Austrian winter; mustare, white; mustard black; rape, turnip; rape, annual; rape, bird; Adzuki bean; sunflower; hemp; chickpea; Mung bean; and watermelon; and delete the word "pea

es same transmit

201.102. Insert "dandelion = 65 percent."

- 201.103. Reword the section as follows: "Unadapted alfalfa and red clover. Alfalfa seed and red clover seed of foreign origin other than the Dominion of Canada have been determined to be unadapted for general agricultural use in the United States."
- 201.104. Reword the section as follows: "Staining of imported seed."
- (a) 10 percent of the seed in each container of the seed of alfalfa or red clover grown in any foreign country other than the countries of South America and the Dominion of Canada shall be stained red;
- (b) 10 percent of the seed in each container of the seed of alfalfa or red clover grown in any of the countries of South America shall be stained orange-red;
- (c) I percent of the seed in each container of the seed of alfalfa or red clover grown in the Dominion of Canada shall be stained violet;
- (d) 10 percent of the seed in each container of the seed of alfalfa or red clover shall be stained red;
 - (1) If the origin of alfalfa or red clover is unestablished:
 - (2) If the origin of alfalfa or red clover is such as to require different colors; and
 - (3) If the alfalfa or red clover of foreign origin has been commingled with the seed of the same kind grown in the United States.
- 201.107. Add to incidental weeds the following: "black mustard (Brassica nigra), bird rape (Brassica campestris), and turnip rape (Brassica rapa var.)."
 - 201.109. After section 201.108 insert the following new section:
- #201.109. Mixtures not considered adulterations. For the purposes of section 303 of the act the importation of mixtures in any combination of seed of suckling clover (Trifolium dubium), white clover (Trifolium repens), or cluster clover (Trifolium glomeratum) shall not be construed to be adulterated.

Done at Washington, D. C. this 6th day of August 1941. Witness my hand and the seal of the Department of Agriculture.

SEAL

/s/ Paul H. Appleby
Acting Secretary of Agriculture.

